

LTC Stats:

Nursing Facility Patient Characteristics Report

September 2014 Update

Prepared By

Research Department
American Health Care Association



© American Health Care Association, 2014

LTC Stats: Nursing Facility Patient Characteristics Report

Table of Contents

Table 1: Nursing Facility Patient Overview	3
Table 2: Patients by Payor – Number of Patients	4
Table 3: Patients by Payor – Percentage of Patients.....	5
Table 4: Activities of Daily Living – Bathing – Percent of Patients and Dependency.....	6
Table 5: Activities of Daily Living – Dressing – Percent of Patients and Dependency	7
Table 6: Activities of Daily Living – Eating – Percent of Patients and Dependency	8
Table 7: Activities of Daily Living – Toileting – Percent of Patients and Dependency.....	9
Table 8: Activities of Daily Living – Transferring – Percent of Patients and Dependency	10
Table 9: Medical Condition – Bladder and Bowel Status.....	11
Table 10: Medical Condition – Medications	12
Table 11: Medical Condition – Mobility	13
Table 12: Medical Condition – Mental Status	14
Table 13: Medical Condition – Weight Loss and Communication	15
Table 14: Medical Condition – Advance Directives and Vaccinations	16
Table 15: Medical Condition – Skin Integrity	17
Table 16: Medical Condition – Special Care.....	18
Glossary of Terms.....	21
Contact Information.....	23

Source: Center for Medicare & Medicaid Services Certification and Survey Provider Enhanced Reporting (CMS-CASPER) formerly OSCAR data as of September 2014

Table 1: Nursing Facility Patient Overview, September 2014

State	Facilities	Total Patients	Avg Facility Patients	Median Facility Patients	State Avg ADL Dependence
US	15,641	1,370,266	87.6	80.0	4.19
AK	18	602	33.4	19.5	4.09
AL	226	22,689	100.4	95.0	4.15
AR	231	17,606	76.2	73.0	3.97
AZ	146	11,434	78.3	72.0	4.16
CA	1,220	102,187	83.8	81.0	4.35
CO	214	16,142	75.4	71.0	4.07
CT	229	24,409	106.6	105.0	3.92
DC	19	2,553	134.4	115.0	3.95
DE	46	4,338	94.3	95.0	4.08
FL	689	73,168	106.2	108.0	4.26
GA	357	34,031	95.3	90.0	4.30
HI	46	3,654	79.4	78.5	4.62
IA	440	24,955	56.7	52.0	3.84
ID	78	3,875	49.7	45.5	4.17
IL	763	73,189	95.9	84.0	3.90
IN	525	38,813	73.9	68.0	4.34
KS	345	18,412	53.4	47.0	3.77
KY	286	22,874	80.0	82.0	4.26
LA	280	25,902	92.5	94.0	4.30
MA	418	41,256	98.7	101.0	4.09
MD	228	24,309	106.6	104.0	4.24
ME	106	6,271	59.2	55.0	4.37
MI	433	39,134	90.4	87.0	4.22
MN	377	26,760	71.0	59.0	3.96
MO	513	38,130	74.3	67.0	3.77
MS	203	16,022	78.9	74.0	4.31
MT	82	4,593	56.0	50.5	4.06
NC	420	37,162	88.5	89.0	4.39
ND	81	5,697	70.3	52.0	3.95
NE	218	12,032	55.2	46.0	4.10
NH	76	6,790	89.3	84.0	3.97
NJ	364	45,468	124.9	114.0	4.12
NM	71	5,542	78.1	79.0	4.36
NV	51	4,795	94.0	92.0	4.22
NY	629	106,002	168.5	147.0	4.32
OH	953	76,422	80.2	78.0	4.27
OK	308	18,979	61.6	57.0	3.74
OR	137	7,366	53.8	48.0	4.16
PA	700	79,691	113.8	105.0	4.25
RI	84	7,963	94.8	92.0	3.96
SC	188	16,761	89.2	85.0	4.47
SD	112	6,398	57.1	49.0	3.95
TN	322	29,477	91.5	88.5	4.46
TX	1,208	93,139	77.1	78.0	4.29
UT	99	5,429	54.8	52.0	4.49
VA	287	28,504	99.3	101.0	4.32
VT	37	2,685	72.6	67.0	4.14
WA	222	17,121	77.1	75.5	4.23
WI	390	27,634	70.9	62.0	4.02
WV	127	9,541	75.1	68.0	4.16
WY	39	2,360	60.5	55.0	3.92

Source: CMS Form 672: F78 - F93

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 2: Nursing Facility Patients by Payor - Number of Patients, September 2014

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,370,266	194,726	862,038	313,502
AK	602	61	481	60
AL	22,689	2,888	15,346	4,455
AR	17,606	2,017	11,825	3,764
AZ	11,434	1,863	6,659	2,912
CA	102,187	15,207	68,464	18,516
CO	16,142	1,903	9,790	4,449
CT	24,409	3,221	16,727	4,461
DC	2,553	303	2,059	191
DE	4,338	769	2,579	990
FL	73,168	15,120	41,871	16,177
GA	34,031	4,464	24,130	5,437
HI	3,654	387	2,283	984
IA	24,955	2,028	11,923	11,004
ID	3,875	648	2,474	753
IL	73,189	11,235	43,982	17,972
IN	38,813	6,421	24,261	8,131
KS	18,412	2,128	9,817	6,467
KY	22,874	3,369	15,215	4,290
LA	25,902	2,914	19,055	3,933
MA	41,256	5,216	25,595	10,445
MD	24,309	4,496	14,786	5,027
ME	6,271	936	4,086	1,249
MI	39,134	7,512	23,841	7,781
MN	26,760	2,716	14,353	9,691
MO	38,130	4,083	23,693	10,354
MS	16,022	2,278	12,098	1,646
MT	4,593	532	2,602	1,459
NC	37,162	6,117	24,134	6,911
ND	5,697	411	2,968	2,318
NE	12,032	1,505	6,231	4,296
NH	6,790	966	4,445	1,379
NJ	45,468	8,159	28,156	9,153
NM	5,542	699	3,573	1,270
NV	4,795	890	2,692	1,213
NY	106,002	12,613	74,088	19,301
OH	76,422	8,996	48,243	19,183
OK	18,979	2,269	12,548	4,162
OR	7,366	1,108	4,264	1,994
PA	79,691	8,533	49,565	21,593
RI	7,963	730	5,102	2,131
SC	16,761	3,097	10,233	3,431
SD	6,398	553	3,371	2,474
TN	29,477	5,035	18,194	6,248
TX	93,139	13,401	57,932	21,806
UT	5,429	998	2,877	1,554
VA	28,504	5,364	17,194	5,946
VT	2,685	452	1,702	531
WA	17,121	3,110	9,997	4,014
WI	27,634	3,597	15,924	8,113
WV	9,541	1,145	7,165	1,231
WY	2,360	263	1,445	652

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 3: Nursing Facility Patients by Payor - Percentage of Patients, September 2014

State	Total Patients	Medicare	Medicaid	Other Payor
US	1,370,266	14.2%	62.9%	22.9%
AK	602	10.1%	79.9%	10.0%
AL	22,689	12.7%	67.6%	19.6%
AR	17,606	11.5%	67.2%	21.4%
AZ	11,434	16.3%	58.2%	25.5%
CA	102,187	14.9%	67.0%	18.1%
CO	16,142	11.8%	60.6%	27.6%
CT	24,409	13.2%	68.5%	18.3%
DC	2,553	11.9%	80.7%	7.5%
DE	4,338	17.7%	59.5%	22.8%
FL	73,168	20.7%	57.2%	22.1%
GA	34,031	13.1%	70.9%	16.0%
HI	3,654	10.6%	62.5%	26.9%
IA	24,955	8.1%	47.8%	44.1%
ID	3,875	16.7%	63.8%	19.4%
IL	73,189	15.4%	60.1%	24.6%
IN	38,813	16.5%	62.5%	20.9%
KS	18,412	11.6%	53.3%	35.1%
KY	22,874	14.7%	66.5%	18.8%
LA	25,902	11.3%	73.6%	15.2%
MA	41,256	12.6%	62.0%	25.3%
MD	24,309	18.5%	60.8%	20.7%
ME	6,271	14.9%	65.2%	19.9%
MI	39,134	19.2%	60.9%	19.9%
MN	26,760	10.1%	53.6%	36.2%
MO	38,130	10.7%	62.1%	27.2%
MS	16,022	14.2%	75.5%	10.3%
MT	4,593	11.6%	56.7%	31.8%
NC	37,162	16.5%	64.9%	18.6%
ND	5,697	7.2%	52.1%	40.7%
NE	12,032	12.5%	51.8%	35.7%
NH	6,790	14.2%	65.5%	20.3%
NJ	45,468	17.9%	61.9%	20.1%
NM	5,542	12.6%	64.5%	22.9%
NV	4,795	18.6%	56.1%	25.3%
NY	106,002	11.9%	69.9%	18.2%
OH	76,422	11.8%	63.1%	25.1%
OK	18,979	12.0%	66.1%	21.9%
OR	7,366	15.0%	57.9%	27.1%
PA	79,691	10.7%	62.2%	27.1%
RI	7,963	9.2%	64.1%	26.8%
SC	16,761	18.5%	61.1%	20.5%
SD	6,398	8.6%	52.7%	38.7%
TN	29,477	17.1%	61.7%	21.2%
TX	93,139	14.4%	62.2%	23.4%
UT	5,429	18.4%	53.0%	28.6%
VA	28,504	18.8%	60.3%	20.9%
VT	2,685	16.8%	63.4%	19.8%
WA	17,121	18.2%	58.4%	23.4%
WI	27,634	13.0%	57.6%	29.4%
WV	9,541	12.0%	75.1%	12.9%
WY	2,360	11.1%	61.2%	27.6%

Source: CMS Form 672: F75 - F78

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 4: Activities of Daily Living - Bathing - Percent of Patients and Dependency, September 2014

State	Independent	Assisted	Dependent	Total Bathing Dependence
US	3.65%	63.71%	32.63%	96.35%
AK	4.32%	60.63%	35.05%	95.68%
AL	3.41%	58.50%	38.09%	96.59%
AR	3.56%	66.36%	30.08%	96.44%
AZ	3.69%	66.76%	29.55%	96.31%
CA	3.67%	58.44%	37.89%	96.33%
CO	3.58%	71.21%	25.21%	96.42%
CT	5.33%	60.63%	34.05%	94.67%
DC	8.11%	38.35%	53.54%	91.89%
DE	5.03%	50.25%	44.72%	94.97%
FL	2.90%	64.00%	33.10%	97.10%
GA	2.93%	52.08%	44.99%	97.07%
HI	1.01%	54.02%	44.96%	98.99%
IA	1.06%	81.61%	17.34%	98.94%
ID	1.81%	75.92%	22.27%	98.19%
IL	9.06%	71.23%	19.71%	90.94%
IN	2.40%	64.97%	32.64%	97.60%
KS	5.26%	72.65%	22.09%	94.74%
KY	1.68%	61.78%	36.54%	98.32%
LA	3.70%	64.77%	31.53%	96.30%
MA	3.97%	58.07%	37.96%	96.03%
MD	4.11%	47.06%	48.82%	95.89%
ME	2.63%	61.55%	35.82%	97.37%
MI	1.59%	73.23%	25.19%	98.41%
MN	3.45%	76.41%	20.15%	96.55%
MO	5.85%	71.55%	22.59%	94.15%
MS	2.22%	63.97%	33.81%	97.78%
MT	3.31%	78.77%	17.92%	96.69%
NC	3.43%	48.53%	48.05%	96.57%
ND	1.86%	79.59%	18.55%	98.14%
NE	1.35%	74.10%	24.55%	98.65%
NH	3.71%	72.16%	24.12%	96.29%
NJ	4.60%	60.58%	34.82%	95.40%
NM	2.08%	69.04%	28.89%	97.92%
NV	4.19%	60.31%	35.50%	95.81%
NY	3.55%	63.50%	32.94%	96.45%
OH	3.56%	70.10%	26.34%	96.44%
OK	5.02%	71.64%	23.34%	94.98%
OR	2.73%	73.04%	24.23%	97.27%
PA	3.92%	58.08%	38.00%	96.08%
RI	4.36%	68.79%	26.85%	95.64%
SC	1.13%	53.51%	45.36%	98.87%
SD	1.34%	80.23%	18.43%	98.66%
TN	1.77%	58.20%	40.03%	98.23%
TX	3.01%	61.51%	35.48%	96.99%
UT	2.52%	70.97%	26.51%	97.48%
VA	3.46%	50.55%	45.98%	96.54%
VT	3.35%	64.92%	31.73%	96.65%
WA	2.71%	74.63%	22.66%	97.29%
WI	2.53%	72.52%	24.94%	97.47%
WV	3.82%	46.84%	49.34%	96.18%
WY	2.42%	77.67%	19.92%	97.58%

Source: CMS Form 672: F78 - F81

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 5: Activities of Daily Living - Dressing - Percent of Patients and Dependency, September 2014

State	Independent	Assisted	Dependent	Total Dressing Dependence
US	8.25%	72.04%	19.71%	91.75%
AK	8.97%	75.75%	15.28%	91.03%
AL	6.76%	66.41%	26.83%	93.24%
AR	11.53%	67.07%	21.40%	88.47%
AZ	9.60%	71.50%	18.90%	90.40%
CA	6.51%	69.46%	24.03%	93.49%
CO	11.44%	77.22%	11.34%	88.56%
CT	9.81%	64.31%	25.88%	90.19%
DC	11.16%	45.67%	43.16%	88.84%
DE	8.92%	67.73%	23.35%	91.08%
FL	6.82%	68.92%	24.26%	93.18%
GA	6.87%	66.16%	26.97%	93.13%
HI	1.64%	70.44%	27.91%	98.36%
IA	11.77%	78.23%	10.00%	88.23%
ID	8.46%	80.31%	11.23%	91.54%
IL	14.34%	74.46%	11.20%	85.66%
IN	6.59%	79.54%	13.86%	93.41%
KS	15.60%	72.89%	11.51%	84.40%
KY	5.43%	72.95%	21.62%	94.57%
LA	9.95%	73.00%	17.05%	90.05%
MA	5.71%	64.00%	30.29%	94.29%
MD	6.46%	59.13%	34.42%	93.54%
ME	3.22%	82.25%	14.53%	96.78%
MI	5.98%	79.97%	14.04%	94.02%
MN	10.72%	81.33%	7.96%	89.28%
MO	17.22%	67.43%	15.35%	82.78%
MS	7.83%	76.61%	15.55%	92.17%
MT	12.06%	79.14%	8.80%	87.94%
NC	5.32%	70.79%	23.89%	94.68%
ND	9.53%	83.89%	6.58%	90.47%
NE	10.37%	78.98%	10.65%	89.63%
NH	8.44%	79.06%	12.50%	91.56%
NJ	8.85%	64.01%	27.14%	91.15%
NM	6.82%	78.65%	14.53%	93.18%
NV	8.84%	73.14%	18.02%	91.16%
NY	6.90%	69.71%	23.39%	93.10%
OH	7.17%	79.20%	13.62%	92.83%
OK	16.94%	66.08%	16.98%	83.06%
OR	6.20%	80.52%	13.28%	93.80%
PA	6.46%	73.52%	20.01%	93.54%
RI	8.23%	73.90%	17.87%	91.77%
SC	2.49%	70.68%	26.82%	97.51%
SD	12.99%	80.31%	6.71%	87.01%
TN	3.82%	72.26%	23.92%	96.18%
TX	8.40%	72.49%	19.11%	91.60%
UT	4.40%	82.65%	12.95%	95.60%
VA	7.01%	64.86%	28.13%	92.99%
VT	6.67%	75.68%	17.65%	93.33%
WA	7.11%	79.81%	13.07%	92.89%
WI	8.26%	79.41%	12.34%	91.74%
WV	8.52%	69.97%	21.51%	91.48%
WY	13.18%	78.14%	8.69%	86.82%

Source: CMS Form 672: F78, F82 - F84

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 6: Activities of Daily Living - Eating - Percent of Patients and Dependency, September 2014

State	Independent	Assisted	Dependent	Total Eating Dependence
US	42.14%	45.15%	12.71%	57.86%
AK	50.00%	36.71%	13.29%	50.00%
AL	47.63%	34.77%	17.60%	52.37%
AR	49.12%	37.92%	12.96%	50.88%
AZ	45.71%	43.09%	11.19%	54.29%
CA	34.15%	46.91%	18.95%	65.85%
CO	45.03%	48.73%	6.24%	54.97%
CT	55.96%	29.27%	14.77%	44.04%
DC	49.75%	28.52%	21.74%	50.25%
DE	49.93%	36.40%	13.67%	50.07%
FL	42.42%	42.18%	15.40%	57.58%
GA	35.69%	47.62%	16.70%	64.31%
HI	28.79%	45.98%	25.23%	71.21%
IA	60.83%	33.26%	5.91%	39.17%
ID	47.64%	44.85%	7.51%	52.36%
IL	45.07%	46.37%	8.56%	54.93%
IN	34.07%	57.32%	8.60%	65.93%
KS	56.44%	36.66%	6.90%	43.56%
KY	45.04%	40.01%	14.96%	54.96%
LA	25.77%	64.09%	10.14%	74.23%
MA	53.38%	33.78%	12.84%	46.62%
MD	43.63%	38.93%	17.44%	56.37%
ME	44.63%	45.29%	10.08%	55.37%
MI	50.04%	40.29%	9.67%	49.96%
MN	55.84%	37.69%	6.47%	44.16%
MO	50.48%	41.20%	8.32%	49.52%
MS	33.27%	52.37%	14.37%	66.73%
MT	43.83%	50.66%	5.51%	56.17%
NC	36.08%	50.29%	13.63%	63.92%
ND	56.66%	37.67%	5.67%	43.34%
NE	45.86%	47.12%	7.01%	54.14%
NH	54.01%	38.00%	8.00%	45.99%
NJ	44.16%	39.22%	16.62%	55.84%
NM	31.50%	60.72%	7.78%	68.50%
NV	41.52%	44.92%	13.56%	58.48%
NY	34.56%	48.73%	16.71%	65.44%
OH	39.62%	51.13%	9.25%	60.38%
OK	53.08%	36.49%	10.43%	46.92%
OR	54.28%	36.30%	9.42%	45.72%
PA	42.84%	45.52%	11.64%	57.16%
RI	56.75%	34.16%	9.09%	43.25%
SC	38.22%	44.36%	17.42%	61.78%
SD	51.72%	43.14%	5.14%	48.28%
TN	33.53%	49.72%	16.76%	66.47%
TX	33.46%	53.71%	12.83%	66.54%
UT	29.10%	62.96%	7.94%	70.90%
VA	35.65%	48.50%	15.85%	64.35%
VT	50.24%	38.21%	11.55%	49.76%
WA	45.00%	44.82%	10.17%	55.00%
WI	56.14%	36.10%	7.75%	43.86%
WV	44.04%	43.64%	12.32%	55.96%
WY	53.26%	41.57%	5.17%	46.74%

Source: CMS Form 672: F78, F91 - F93

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 7: Activities of Daily Living - Toileting - Percent of Patients and Dependency, September 2014

State	Independent	Assisted	Dependent	Total Toileting Dependence
US	12.18%	64.65%	23.17%	87.82%
AK	12.79%	61.63%	25.58%	87.21%
AL	12.38%	54.04%	33.58%	87.62%
AR	17.19%	56.71%	26.10%	82.81%
AZ	11.73%	64.90%	23.37%	88.27%
CA	9.61%	60.29%	30.11%	90.39%
CO	14.78%	70.33%	14.89%	85.22%
CT	16.61%	56.96%	26.43%	83.39%
DC	17.08%	37.52%	45.40%	82.92%
DE	12.77%	59.47%	27.75%	87.23%
FL	10.18%	61.87%	27.95%	89.82%
GA	11.10%	54.84%	34.06%	88.90%
HI	2.90%	58.70%	38.40%	97.10%
IA	18.29%	68.82%	12.89%	81.71%
ID	10.94%	71.72%	17.34%	89.06%
IL	19.65%	65.57%	14.78%	80.35%
IN	10.08%	74.48%	15.44%	89.92%
KS	20.66%	64.95%	14.39%	79.34%
KY	9.39%	65.99%	24.63%	90.61%
LA	14.70%	66.01%	19.29%	85.30%
MA	12.65%	60.59%	26.76%	87.35%
MD	9.77%	53.61%	36.61%	90.23%
ME	4.72%	77.79%	17.49%	95.28%
MI	8.63%	73.79%	17.58%	91.37%
MN	14.66%	74.78%	10.55%	85.34%
MO	22.72%	59.18%	18.11%	77.28%
MS	11.51%	66.91%	21.58%	88.49%
MT	15.09%	73.31%	11.60%	84.91%
NC	7.34%	65.74%	26.92%	92.66%
ND	15.66%	75.55%	8.79%	84.34%
NE	13.48%	72.12%	14.39%	86.52%
NH	15.39%	69.15%	15.46%	84.61%
NJ	13.99%	56.62%	29.39%	86.01%
NM	10.45%	72.21%	17.34%	89.55%
NV	10.76%	67.82%	21.42%	89.24%
NY	10.06%	62.74%	27.20%	89.94%
OH	10.19%	72.59%	17.23%	89.81%
OK	23.67%	55.43%	20.89%	76.33%
OR	9.19%	69.22%	21.59%	90.81%
PA	9.68%	68.88%	21.44%	90.32%
RI	14.57%	66.17%	19.26%	85.43%
SC	4.65%	60.59%	34.76%	95.35%
SD	17.57%	74.98%	7.46%	82.43%
TN	6.43%	65.29%	28.27%	93.57%
TX	12.06%	64.50%	23.44%	87.94%
UT	6.39%	79.39%	14.22%	93.61%
VA	9.89%	59.53%	30.58%	90.11%
VT	10.24%	65.85%	23.91%	89.76%
WA	9.82%	72.37%	17.80%	90.18%
WI	13.53%	70.91%	15.56%	86.47%
WV	11.85%	64.10%	24.04%	88.15%
WY	16.44%	69.62%	13.94%	83.56%

Source: CMS Form 672: F78, F88 - F90

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 8: Activities of Daily Living - Transferring - Percent of Patients and Dependency, September 2014

State	Independent	Assisted	Dependent	Total Transferring Dependent
US	14.90%	64.46%	20.65%	85.10%
AK	15.28%	54.49%	30.23%	84.72%
AL	14.57%	55.63%	29.80%	85.43%
AR	21.99%	55.99%	22.02%	78.01%
AZ	13.53%	64.87%	21.60%	86.47%
CA	11.48%	62.66%	25.86%	88.52%
CO	17.93%	68.62%	13.45%	82.07%
CT	20.53%	56.70%	22.77%	79.47%
DC	18.84%	41.32%	39.84%	81.16%
DE	15.74%	60.07%	24.18%	84.26%
FL	11.76%	63.81%	24.44%	88.24%
GA	13.67%	58.83%	27.50%	86.33%
HI	3.61%	64.12%	32.27%	96.39%
IA	24.46%	63.39%	12.15%	75.54%
ID	13.68%	69.63%	16.70%	86.32%
IL	22.05%	63.89%	14.06%	77.95%
IN	12.64%	72.79%	14.57%	87.36%
KS	25.01%	61.91%	13.08%	74.99%
KY	12.07%	65.80%	22.13%	87.93%
LA	16.34%	67.81%	15.84%	83.66%
MA	15.48%	63.21%	21.31%	84.52%
MD	12.51%	56.50%	30.99%	87.49%
ME	7.67%	76.30%	16.03%	92.33%
MI	11.37%	70.68%	17.95%	88.63%
MN	19.17%	67.95%	12.88%	80.83%
MO	27.11%	57.06%	15.83%	72.89%
MS	13.90%	64.46%	21.64%	86.10%
MT	19.94%	69.78%	10.28%	80.06%
NC	9.21%	66.38%	24.41%	90.79%
ND	21.50%	67.97%	10.53%	78.50%
NE	18.49%	67.50%	14.01%	81.51%
NH	21.27%	63.48%	15.26%	78.73%
NJ	16.18%	58.88%	24.95%	83.82%
NM	13.21%	73.22%	13.57%	86.79%
NV	12.85%	66.80%	20.35%	87.15%
NY	13.16%	62.32%	24.53%	86.84%
OH	12.50%	70.96%	16.54%	87.50%
OK	27.38%	54.71%	17.90%	72.62%
OR	11.54%	69.28%	19.18%	88.46%
PA	12.00%	67.42%	20.58%	88.00%
RI	20.09%	64.23%	15.67%	79.91%
SC	6.31%	65.49%	28.20%	93.69%
SD	21.51%	70.26%	8.24%	78.49%
TN	8.08%	67.69%	24.23%	91.92%
TX	14.22%	66.07%	19.71%	85.78%
UT	8.36%	78.15%	13.48%	91.64%
VA	12.26%	61.27%	26.47%	87.74%
VT	15.68%	62.05%	22.27%	84.32%
WA	11.88%	71.82%	16.30%	88.12%
WI	17.09%	66.12%	16.79%	82.91%
WV	15.30%	62.96%	21.74%	84.70%
WY	22.67%	65.25%	12.08%	77.33%

Source: CMS Form 672: F78, F85 - F87

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 9: Medical Condition - Bladder and Bowel Status, September 2014

State	Catheter	Catheter at Admission*	Bladder Incontinent	Bowel Incontinent	Training Program**
US	5.65%	4.21%	62.04%	45.42%	39.00%
AK	11.30%	7.64%	56.31%	41.86%	50.83%
AL	5.23%	3.62%	65.43%	51.94%	34.27%
AR	5.18%	3.72%	63.63%	48.24%	18.60%
AZ	9.42%	8.19%	57.08%	46.72%	25.84%
CA	6.36%	5.17%	53.27%	46.00%	37.12%
CO	7.55%	5.83%	60.51%	38.98%	37.99%
CT	4.21%	3.07%	59.57%	44.35%	41.78%
DC	2.86%	2.55%	66.98%	59.81%	18.84%
DE	6.87%	3.43%	63.21%	46.36%	63.28%
FL	5.71%	4.71%	59.74%	50.43%	33.17%
GA	4.38%	3.28%	68.29%	56.86%	36.10%
HI	3.56%	2.76%	71.26%	57.22%	32.18%
IA	5.84%	3.78%	65.34%	30.43%	23.53%
ID	8.05%	6.61%	59.56%	35.07%	55.07%
IL	5.00%	3.79%	52.46%	33.73%	39.58%
IN	5.18%	3.88%	65.69%	44.49%	59.48%
KS	5.03%	3.73%	63.36%	35.67%	70.28%
KY	6.58%	4.68%	61.61%	47.51%	37.59%
LA	4.72%	2.62%	64.50%	47.15%	30.08%
MA	5.02%	3.77%	62.35%	46.89%	30.64%
MD	5.24%	3.93%	66.54%	55.08%	60.41%
ME	6.57%	5.04%	69.32%	41.48%	64.84%
MI	5.85%	4.81%	60.16%	41.80%	42.42%
MN	6.11%	4.29%	65.54%	36.93%	59.96%
MO	4.74%	3.58%	58.47%	35.18%	34.48%
MS	4.57%	2.67%	70.16%	54.49%	22.76%
MT	6.88%	4.96%	59.76%	32.42%	56.13%
NC	5.44%	3.95%	67.26%	54.03%	29.35%
ND	6.49%	4.37%	65.86%	34.65%	32.47%
NE	7.07%	4.61%	66.02%	31.13%	52.09%
NH	6.17%	4.39%	63.18%	34.99%	61.33%
NJ	5.32%	4.43%	55.90%	45.04%	25.04%
NM	6.46%	5.12%	63.03%	45.98%	56.60%
NV	8.43%	7.32%	56.58%	47.38%	19.90%
NY	5.01%	3.59%	63.40%	50.23%	26.42%
OH	5.70%	4.17%	58.85%	37.02%	45.47%
OK	5.75%	4.49%	57.98%	40.03%	37.39%
OR	9.61%	7.56%	59.12%	42.70%	40.02%
PA	6.12%	4.41%	66.45%	48.57%	44.86%
RI	3.77%	2.62%	61.40%	40.69%	53.48%
SC	4.33%	2.86%	70.52%	59.72%	27.95%
SD	6.22%	4.13%	68.74%	32.56%	63.94%
TN	6.18%	4.07%	66.65%	51.92%	50.99%
TX	5.45%	3.99%	67.05%	51.86%	30.62%
UT	7.53%	5.60%	63.05%	41.15%	37.24%
VA	5.30%	3.93%	65.62%	53.15%	32.94%
VT	6.67%	5.14%	67.08%	43.20%	50.58%
WA	8.69%	6.59%	61.89%	46.00%	33.41%
WI	6.41%	4.79%	62.68%	35.60%	76.41%
WV	5.95%	4.54%	65.21%	45.68%	69.92%
WY	6.95%	4.58%	63.69%	30.81%	86.69%

Source: CMS Form 672: F78, F94 - F99. *As a percentage of those patients with a catheter at the time of the survey. **Total patients in bladder and/or bowel training.

Table 10: Medical Condition - Medications, September 2014

State	Psychoactive Medication*	Antibiotics	Pain Management
US	64.20%	9.18%	46.62%
AK	57.64%	6.98%	67.61%
AL	71.14%	8.99%	51.76%
AR	68.31%	8.85%	34.02%
AZ	62.80%	13.71%	51.86%
CA	54.74%	8.97%	38.67%
CO	60.53%	8.84%	59.79%
CT	70.29%	8.07%	36.70%
DC	55.70%	4.97%	37.49%
DE	59.75%	9.82%	49.29%
FL	64.70%	10.68%	40.12%
GA	67.39%	8.24%	44.08%
HI	45.27%	8.05%	42.69%
IA	65.42%	8.67%	62.54%
ID	67.12%	12.52%	63.48%
IL	65.02%	8.45%	40.68%
IN	67.06%	10.07%	49.42%
KS	68.08%	9.71%	58.11%
KY	68.98%	9.57%	43.93%
LA	68.80%	10.66%	37.41%
MA	71.36%	7.18%	45.46%
MD	60.85%	10.07%	42.50%
ME	64.92%	8.63%	60.34%
MI	61.83%	9.10%	56.69%
MN	60.09%	7.97%	65.47%
MO	70.28%	8.91%	46.23%
MS	66.91%	9.60%	43.10%
MT	63.92%	9.23%	61.75%
NC	65.30%	10.97%	46.46%
ND	64.93%	7.16%	67.26%
NE	67.58%	10.49%	63.61%
NH	66.05%	6.73%	60.15%
NJ	56.45%	7.82%	38.01%
NM	63.05%	9.09%	46.97%
NV	58.14%	14.01%	42.82%
NY	56.94%	7.74%	44.31%
OH	66.55%	9.91%	45.33%
OK	70.93%	8.66%	54.61%
OR	63.29%	10.96%	60.29%
PA	65.05%	8.39%	46.85%
RI	69.08%	8.44%	51.43%
SC	64.08%	9.42%	48.17%
SD	63.36%	9.19%	62.75%
TN	72.06%	10.13%	50.31%
TX	67.57%	10.04%	43.83%
UT	67.86%	13.93%	59.40%
VA	63.93%	10.52%	41.99%
VT	66.07%	7.23%	57.73%
WA	62.36%	10.90%	53.71%
WI	62.90%	7.32%	62.96%
WV	63.25%	10.44%	55.14%
WY	63.60%	9.62%	53.26%

Source: CMS Form 672: F78, F133 - F139. *Includes antipsychotic, antianxiety, antidepressant, and hypnotic medications.

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 11: Medical Condition - Mobility, September 2014

State	Bedfast	Chairbound	Ambulatory*	Physically Restrained	W/Orders for Restraint**	Contractures
US	3.61%	64.87%	39.53%	1.95%	0.51%	23.81%
AK	8.31%	70.60%	36.38%	1.50%	1.50%	45.02%
AL	7.29%	69.00%	25.53%	1.77%	0.48%	34.73%
AR	4.96%	65.53%	31.19%	1.69%	0.28%	17.02%
AZ	6.13%	65.54%	35.38%	0.77%	0.17%	19.18%
CA	4.90%	64.69%	41.36%	2.96%	1.32%	25.83%
CO	2.10%	61.91%	35.99%	1.39%	0.16%	19.43%
CT	1.73%	59.37%	52.28%	1.13%	0.21%	15.99%
DC	6.31%	66.55%	28.05%	1.10%	0.16%	18.96%
DE	3.78%	65.72%	35.04%	0.99%	0.14%	29.07%
FL	3.49%	71.56%	31.83%	1.78%	0.34%	18.21%
GA	5.94%	65.19%	29.39%	1.42%	0.23%	31.04%
HI	7.06%	71.15%	33.94%	2.11%	0.77%	34.15%
IA	1.17%	51.82%	56.38%	1.92%	0.59%	25.72%
ID	4.13%	72.80%	43.97%	2.92%	1.37%	30.63%
IL	1.50%	57.71%	52.21%	1.83%	0.56%	21.60%
IN	2.34%	67.33%	45.90%	1.10%	0.24%	18.77%
KS	2.10%	54.63%	42.80%	0.68%	0.25%	18.70%
KY	5.66%	62.25%	32.41%	2.90%	0.49%	24.16%
LA	4.35%	67.95%	28.96%	3.54%	0.45%	25.46%
MA	2.09%	56.32%	52.46%	1.57%	0.23%	19.39%
MD	5.42%	66.66%	30.67%	1.73%	0.53%	22.21%
ME	3.84%	61.33%	50.76%	0.37%	0.06%	25.21%
MI	3.18%	69.63%	37.94%	2.11%	0.59%	20.37%
MN	1.12%	65.43%	57.01%	0.94%	0.11%	18.79%
MO	1.80%	62.02%	44.10%	2.33%	0.90%	20.17%
MS	6.06%	70.80%	24.16%	4.28%	0.41%	40.28%
MT	1.50%	60.88%	52.45%	2.22%	0.57%	35.38%
NC	5.06%	71.29%	27.62%	1.50%	0.13%	24.45%
ND	1.70%	67.97%	58.66%	0.91%	0.14%	36.44%
NE	0.89%	64.35%	54.74%	0.97%	0.27%	21.61%
NH	4.11%	58.00%	57.13%	0.71%	0.29%	29.07%
NJ	3.92%	66.86%	36.35%	2.60%	0.82%	16.58%
NM	1.55%	70.86%	37.91%	0.90%	0.20%	21.63%
NV	6.94%	68.76%	33.79%	1.88%	0.50%	21.79%
NY	2.19%	63.98%	41.75%	2.62%	0.87%	31.49%
OH	2.97%	63.49%	49.96%	1.56%	0.33%	24.67%
OK	5.01%	59.69%	38.70%	1.10%	0.32%	19.85%
OR	5.29%	64.06%	33.38%	0.77%	0.14%	24.91%
PA	3.69%	61.31%	34.99%	1.45%	0.24%	21.33%
RI	1.34%	58.76%	63.85%	0.44%	0.19%	22.76%
SC	6.40%	73.43%	21.79%	3.15%	0.35%	31.65%
SD	1.33%	61.94%	57.64%	1.14%	0.34%	34.59%
TN	6.06%	70.06%	33.25%	3.40%	0.41%	24.72%
TX	4.33%	69.72%	26.67%	2.33%	0.72%	23.72%
UT	3.35%	62.90%	47.98%	2.36%	0.70%	24.13%
VA	5.49%	67.14%	27.70%	0.86%	0.14%	25.41%
VT	3.91%	63.09%	54.79%	0.30%	0.04%	24.54%
WA	4.74%	67.98%	41.22%	1.31%	0.57%	22.25%
WI	2.31%	66.04%	45.46%	0.78%	0.15%	23.83%
WV	4.86%	69.52%	42.26%	3.49%	0.44%	35.00%
WY	1.36%	62.29%	55.00%	2.03%	0.59%	24.53%

Source: CMS Form 672: F78, F100 - F106. *Percentage of patients that ambulate independently or w/assistive devices. **As a percentage of patients physically restrained.

Table 12: Medical Condition - Mental Status, September 2014

State	Mental Retardation	Depression	Psych Diagnosis	Dementia	Behavior Symptoms
US	1.95%	42.14%	31.16%	47.22%	23.75%
AK	1.66%	39.04%	20.27%	33.55%	22.76%
AL	4.24%	37.79%	32.92%	54.96%	20.75%
AR	3.00%	36.87%	32.91%	49.68%	20.34%
AZ	0.81%	40.72%	24.29%	38.11%	22.86%
CA	2.00%	28.85%	27.55%	37.10%	20.21%
CO	1.16%	49.60%	22.59%	47.57%	29.09%
CT	1.63%	39.90%	26.11%	49.85%	19.20%
DC	0.78%	21.58%	21.43%	45.87%	17.90%
DE	2.28%	40.39%	28.61%	49.63%	31.35%
FL	1.13%	39.66%	30.38%	46.10%	22.34%
GA	3.45%	50.49%	34.95%	50.96%	28.70%
HI	1.67%	33.80%	9.72%	54.52%	22.50%
IA	2.30%	53.08%	27.32%	48.35%	24.00%
ID	2.89%	52.77%	29.63%	39.05%	29.86%
IL	1.32%	48.65%	33.87%	40.86%	26.94%
IN	2.68%	40.28%	28.76%	50.57%	21.21%
KS	1.33%	50.60%	35.97%	47.43%	28.16%
KY	2.83%	41.38%	34.49%	50.05%	23.38%
LA	1.46%	32.37%	44.09%	39.53%	23.04%
MA	0.94%	42.07%	34.29%	55.30%	30.44%
MD	1.23%	35.41%	23.79%	43.66%	17.55%
ME	1.29%	52.10%	26.07%	56.02%	33.38%
MI	1.55%	39.39%	26.95%	53.05%	22.44%
MN	0.69%	48.02%	29.44%	47.34%	31.73%
MO	2.79%	42.33%	35.42%	43.99%	23.64%
MS	2.16%	34.20%	40.33%	47.51%	22.57%
MT	2.48%	47.88%	25.19%	46.42%	20.99%
NC	2.05%	37.67%	29.45%	45.19%	22.31%
ND	2.14%	55.17%	32.37%	50.80%	27.37%
NE	1.58%	53.03%	33.21%	42.99%	30.31%
NH	1.16%	47.38%	38.17%	56.51%	27.73%
NJ	2.46%	30.83%	23.24%	42.19%	19.62%
NM	1.41%	38.56%	26.04%	46.01%	27.88%
NV	1.88%	36.35%	28.70%	34.45%	16.39%
NY	1.69%	39.97%	24.44%	49.81%	19.95%
OH	1.99%	54.88%	39.45%	48.16%	28.13%
OK	2.75%	46.17%	31.80%	42.17%	22.77%
OR	1.76%	39.91%	21.98%	35.66%	22.74%
PA	2.07%	40.80%	30.99%	47.22%	22.10%
RI	2.11%	42.14%	30.80%	53.13%	20.46%
SC	2.29%	38.17%	29.05%	53.88%	25.07%
SD	1.61%	54.92%	29.02%	48.05%	29.34%
TN	1.76%	43.35%	41.88%	52.98%	25.84%
TX	2.02%	46.32%	38.28%	55.72%	25.21%
UT	2.36%	50.16%	26.76%	34.78%	34.21%
VA	3.17%	41.41%	28.36%	44.52%	21.24%
VT	1.27%	55.64%	32.10%	52.63%	31.92%
WA	2.99%	48.27%	23.73%	41.83%	24.34%
WI	1.01%	46.74%	29.94%	48.30%	23.79%
WV	2.92%	47.93%	39.09%	54.55%	25.07%
WY	0.85%	55.81%	25.25%	50.25%	28.31%

Source: CMS Form 672: F78, F108 - F114

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 13: Medical Condition - Weight Loss and Communication, September 2014

State	Unplanned Weight Loss/Gain	Non-English Speaking	Non-Oral Communication Devices
US	7.83%	3.37%	1.40%
AK	9.47%	3.65%	2.66%
AL	10.78%	0.20%	1.34%
AR	8.87%	0.30%	0.93%
AZ	7.34%	5.77%	2.50%
CA	7.01%	13.62%	4.59%
CO	8.05%	2.30%	1.22%
CT	5.07%	3.99%	0.76%
DC	5.80%	1.49%	0.31%
DE	7.54%	1.24%	0.95%
FL	4.86%	4.71%	0.98%
GA	9.52%	1.15%	1.05%
HI	7.58%	7.39%	3.86%
IA	9.43%	0.40%	1.22%
ID	7.72%	1.50%	1.42%
IL	8.87%	3.17%	2.09%
IN	9.43%	0.39%	0.89%
KS	8.19%	0.79%	0.77%
KY	8.01%	0.34%	0.84%
LA	9.90%	0.66%	1.22%
MA	5.30%	5.28%	1.27%
MD	7.08%	2.34%	0.98%
ME	8.98%	0.30%	0.64%
MI	8.01%	1.13%	1.23%
MN	7.43%	0.91%	0.81%
MO	9.18%	0.44%	0.65%
MS	10.04%	0.27%	1.11%
MT	10.10%	0.35%	0.72%
NC	9.40%	0.45%	0.81%
ND	9.92%	0.16%	1.35%
NE	8.94%	0.56%	0.97%
NH	9.15%	0.84%	0.72%
NJ	5.22%	7.05%	2.65%
NM	8.12%	7.25%	0.51%
NV	8.15%	4.00%	2.54%
NY	5.64%	7.53%	1.18%
OH	9.02%	0.66%	0.74%
OK	10.21%	0.71%	0.86%
OR	9.03%	1.64%	1.33%
PA	8.91%	1.67%	0.88%
RI	6.87%	4.75%	0.97%
SC	10.66%	0.25%	1.04%
SD	10.49%	0.41%	1.06%
TN	7.83%	0.32%	1.08%
TX	6.92%	3.49%	1.08%
UT	8.33%	2.32%	1.05%
VA	8.32%	1.34%	0.85%
VT	6.93%	0.34%	0.82%
WA	7.34%	3.21%	1.33%
WI	8.36%	0.56%	0.76%
WV	11.53%	0.47%	1.30%
WY	9.32%	0.59%	0.76%

Source: CMS Form 672: F78, F140 - F142

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 14: Medical Condition - Advance Directives and Vaccinations, September 2014

State	Advance Directives	Influenza Immunization	Pneumococcal Vaccine
US	54.58%	69.01%	65.01%
AK	65.78%	73.26%	78.57%
AL	35.28%	66.68%	59.58%
AR	71.05%	83.90%	79.03%
AZ	70.47%	62.77%	59.51%
CA	47.42%	68.95%	62.96%
CO	78.97%	66.42%	65.52%
CT	69.04%	75.59%	69.25%
DC	43.20%	67.22%	56.56%
DE	48.48%	70.42%	75.03%
FL	58.16%	54.88%	43.37%
GA	42.42%	67.89%	63.23%
HI	65.57%	81.94%	85.71%
IA	64.25%	78.85%	81.53%
ID	64.77%	66.25%	69.55%
IL	52.90%	63.71%	56.79%
IN	54.44%	65.76%	62.42%
KS	71.55%	72.16%	69.04%
KY	53.01%	71.32%	65.59%
LA	32.26%	67.89%	71.64%
MA	72.94%	77.11%	70.17%
MD	55.72%	68.93%	60.62%
ME	58.94%	71.68%	71.39%
MI	74.59%	65.02%	66.29%
MN	59.95%	76.78%	80.70%
MO	52.76%	68.98%	61.76%
MS	32.07%	68.54%	69.77%
MT	70.28%	66.95%	70.83%
NC	45.97%	66.38%	63.88%
ND	61.12%	80.55%	83.87%
NE	65.61%	74.02%	75.07%
NH	82.84%	78.85%	83.46%
NJ	38.36%	70.75%	65.36%
NM	47.55%	57.76%	57.20%
NV	37.83%	48.78%	38.12%
NY	62.47%	77.68%	73.13%
OH	52.33%	62.70%	60.56%
OK	33.47%	69.71%	57.56%
OR	42.22%	64.38%	67.84%
PA	58.27%	73.87%	67.89%
RI	65.59%	73.84%	71.29%
SC	48.70%	71.62%	77.82%
SD	57.50%	82.07%	84.54%
TN	67.06%	66.66%	61.70%
TX	35.72%	61.72%	56.51%
UT	56.66%	62.35%	59.79%
VA	44.00%	70.70%	65.36%
VT	61.15%	70.35%	75.05%
WA	67.76%	66.91%	66.73%
WI	78.60%	82.88%	87.52%
WV	52.22%	66.41%	68.62%
WY	60.47%	74.11%	73.22%

Source: CMS Form 672: F78, F143 - F145

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 15: Medical Condition - Skin Integrity, September 2014

State	Pressure Sores	Pressure Sores at Admission	Preventative Skin Care	Rashes
US	6.30%	3.63%	76.49%	2.77%
AK	7.31%	4.49%	73.26%	3.99%
AL	5.97%	3.50%	81.07%	2.31%
AR	5.73%	2.77%	29.51%	2.36%
AZ	7.64%	4.72%	66.91%	3.23%
CA	6.60%	4.51%	63.75%	3.44%
CO	4.80%	2.61%	83.46%	1.72%
CT	4.75%	2.45%	70.03%	3.78%
DC	6.78%	3.84%	80.26%	1.06%
DE	5.23%	2.70%	80.47%	4.84%
FL	7.24%	4.98%	80.41%	3.37%
GA	6.65%	3.93%	76.92%	2.69%
HI	4.21%	2.65%	74.88%	5.69%
IA	4.02%	1.37%	78.02%	1.99%
ID	5.37%	3.72%	84.00%	3.64%
IL	5.87%	3.40%	74.86%	2.52%
IN	5.93%	2.84%	80.09%	1.60%
KS	4.56%	2.15%	70.77%	3.19%
KY	6.78%	3.26%	80.01%	1.71%
LA	8.34%	4.04%	81.67%	2.26%
MA	4.72%	2.34%	82.73%	2.13%
MD	7.47%	4.75%	83.13%	2.34%
ME	5.17%	2.46%	70.67%	3.41%
MI	6.21%	4.07%	80.37%	2.46%
MN	4.23%	2.06%	73.80%	2.62%
MO	5.05%	2.26%	69.00%	1.80%
MS	7.38%	4.02%	76.81%	1.85%
MT	4.88%	2.44%	88.03%	2.74%
NC	8.09%	4.25%	77.95%	2.39%
ND	3.98%	1.44%	83.57%	3.44%
NE	4.03%	1.84%	80.31%	2.35%
NH	4.12%	1.93%	88.32%	4.98%
NJ	6.72%	4.46%	72.99%	2.47%
NM	6.73%	3.83%	76.80%	1.48%
NV	9.41%	7.47%	68.72%	2.98%
NY	7.30%	4.86%	77.24%	4.90%
OH	5.60%	3.16%	85.93%	2.42%
OK	6.23%	3.18%	60.63%	1.88%
OR	7.15%	4.14%	77.55%	3.96%
PA	6.10%	3.28%	85.67%	2.68%
RI	5.04%	2.50%	86.12%	2.37%
SC	7.42%	4.31%	83.49%	2.42%
SD	4.53%	1.80%	75.24%	2.67%
TN	7.04%	4.26%	82.03%	2.52%
TX	7.34%	3.79%	71.08%	1.59%
UT	6.45%	3.28%	77.44%	2.84%
VA	6.69%	4.00%	79.39%	3.27%
VT	3.61%	1.79%	87.19%	4.06%
WA	6.65%	3.76%	76.85%	4.86%
WI	4.82%	2.48%	81.25%	3.00%
WV	7.19%	4.13%	82.41%	2.31%
WY	3.94%	1.95%	80.17%	1.40%

Source: CMS Form 672: F78, F115 - F118

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, September 2014

State	Hospice Care	Radiation Therapy	Chemotherapy	Dialysis	IV Therapy (Nutrition or Blood)
US	4.70%	0.10%	0.37%	2.06%	1.42%
AK	0.17%	0.17%	0.50%	1.66%	2.16%
AL	5.59%	0.05%	0.21%	1.92%	0.63%
AR	4.73%	0.04%	0.19%	1.21%	0.52%
AZ	5.06%	0.10%	0.22%	3.23%	4.62%
CA	3.09%	0.07%	0.22%	2.98%	2.40%
CO	5.49%	0.04%	0.28%	1.33%	1.21%
CT	2.76%	0.12%	0.32%	1.64%	1.16%
DC	3.33%	0.04%	0.47%	3.84%	0.71%
DE	4.89%	0.05%	0.21%	2.90%	1.24%
FL	6.17%	0.11%	0.15%	2.13%	1.88%
GA	5.47%	0.10%	0.32%	2.76%	0.91%
HI	5.12%	0.08%	0.30%	2.03%	2.16%
IA	6.07%	0.05%	0.34%	0.99%	0.62%
ID	3.28%	0.18%	0.46%	2.25%	2.06%
IL	4.34%	0.12%	0.30%	1.97%	1.33%
IN	5.04%	0.12%	0.44%	1.84%	1.63%
KS	5.36%	0.05%	0.33%	1.07%	0.71%
KY	2.22%	0.07%	0.28%	1.68%	1.56%
LA	5.42%	0.08%	0.45%	2.41%	0.69%
MA	4.83%	0.12%	0.32%	1.34%	1.03%
MD	2.88%	0.10%	0.26%	3.49%	1.87%
ME	5.98%	0.03%	0.38%	0.83%	0.99%
MI	5.32%	0.13%	0.31%	2.30%	1.60%
MN	4.47%	0.35%	0.74%	1.14%	0.98%
MO	6.92%	0.05%	0.29%	1.50%	0.76%
MS	3.88%	0.06%	0.60%	2.40%	0.64%
MT	2.42%	0.09%	0.26%	1.09%	0.85%
NC	3.79%	0.12%	0.38%	2.43%	1.24%
ND	2.79%	0.04%	0.54%	1.37%	0.60%
NE	6.13%	0.07%	0.49%	1.12%	0.82%
NH	4.11%	0.06%	0.31%	0.96%	1.08%
NJ	3.46%	0.13%	0.36%	2.47%	1.66%
NM	5.58%	0.02%	0.22%	1.97%	1.39%
NV	3.57%	0.06%	0.29%	2.40%	5.15%
NY	1.61%	0.09%	0.80%	2.18%	1.17%
OH	6.56%	0.10%	0.51%	2.20%	1.79%
OK	9.98%	0.06%	0.18%	1.46%	0.73%
OR	4.22%	0.15%	0.19%	2.27%	1.97%
PA	4.69%	0.12%	0.45%	1.82%	1.52%
RI	5.93%	0.13%	0.39%	1.14%	1.22%
SC	5.82%	0.04%	0.26%	2.24%	0.65%
SD	3.06%	0.03%	0.50%	1.03%	0.94%
TN	4.92%	0.05%	0.22%	1.67%	1.19%
TX	7.35%	0.06%	0.22%	2.44%	1.39%
UT	7.83%	0.09%	0.26%	1.69%	3.41%
VA	3.45%	0.12%	0.41%	2.16%	1.47%
VT	1.34%	0.00%	0.30%	1.23%	1.01%
WA	2.65%	0.15%	0.43%	1.97%	1.94%
WI	4.48%	0.10%	0.44%	1.46%	0.92%
WV	3.83%	0.12%	0.53%	1.54%	1.88%
WY	0.85%	0.21%	0.30%	0.68%	1.27%

Source: CMS Form 672: F78, F119 - F123

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, September 2014

State	Respiratory Therapy	Tracheostomy Care	Ostomy Care	Suctioning	Injections
US	15.15%	1.30%	2.81%	1.54%	21.97%
AK	13.79%	1.99%	7.48%	2.49%	21.43%
AL	17.34%	0.46%	3.81%	1.07%	23.50%
AR	18.26%	0.42%	4.73%	1.27%	17.35%
AZ	21.45%	2.62%	2.66%	2.61%	26.91%
CA	14.42%	4.12%	3.97%	4.75%	24.64%
CO	29.68%	0.64%	2.02%	0.61%	16.97%
CT	13.32%	0.56%	2.02%	0.70%	18.88%
DC	10.34%	1.84%	5.05%	2.94%	25.81%
DE	14.89%	1.41%	1.98%	2.33%	19.50%
FL	17.65%	0.99%	3.62%	1.29%	24.79%
GA	13.90%	0.71%	3.44%	1.02%	23.32%
HI	9.61%	3.04%	5.36%	3.89%	14.01%
IA	14.21%	0.52%	1.91%	0.49%	16.62%
ID	24.88%	0.98%	2.61%	1.16%	25.55%
IL	12.94%	1.06%	2.41%	1.22%	23.37%
IN	15.19%	0.89%	2.22%	1.01%	21.49%
KS	15.52%	0.43%	1.70%	0.49%	18.69%
KY	19.27%	1.39%	3.79%	2.06%	23.74%
LA	10.44%	0.95%	2.75%	1.10%	22.76%
MA	11.51%	0.78%	1.84%	0.84%	17.39%
MD	14.37%	1.88%	2.70%	2.20%	24.65%
ME	13.55%	0.19%	1.77%	0.29%	18.04%
MI	15.53%	1.19%	2.46%	1.33%	23.37%
MN	12.93%	0.81%	2.09%	0.59%	17.25%
MO	14.76%	0.36%	1.93%	0.43%	20.21%
MS	11.80%	0.86%	4.37%	0.95%	23.69%
MT	19.68%	0.26%	2.24%	0.30%	17.46%
NC	14.88%	0.81%	2.45%	0.86%	24.37%
ND	14.67%	0.30%	2.19%	0.26%	20.08%
NE	16.41%	0.89%	2.39%	0.92%	17.35%
NH	14.17%	0.44%	1.47%	0.50%	16.95%
NJ	13.82%	1.73%	3.64%	1.90%	21.00%
NM	26.78%	0.34%	1.88%	1.08%	21.38%
NV	22.77%	3.84%	3.36%	3.57%	30.26%
NY	12.75%	2.13%	3.27%	2.56%	21.04%
OH	15.90%	1.16%	2.58%	1.29%	24.54%
OK	16.93%	0.91%	2.32%	1.28%	19.91%
OR	14.28%	0.67%	2.80%	0.68%	23.66%
PA	17.18%	1.31%	2.38%	1.46%	22.01%
RI	9.56%	0.36%	2.27%	0.41%	19.59%
SC	12.95%	0.58%	3.59%	0.66%	22.50%
SD	15.38%	0.17%	2.19%	0.20%	17.10%
TN	17.92%	1.07%	2.68%	1.46%	22.21%
TX	13.18%	0.92%	2.57%	1.14%	22.22%
UT	30.10%	2.12%	2.74%	2.12%	24.87%
VA	17.07%	0.97%	2.83%	1.23%	22.42%
VT	14.97%	0.67%	2.35%	0.82%	16.16%
WA	15.96%	1.30%	2.61%	1.49%	22.55%
WI	15.40%	0.75%	1.95%	0.72%	18.50%
WV	16.15%	0.41%	2.42%	0.61%	21.82%
WY	28.60%	0.04%	1.74%	0.04%	17.97%

Source: CMS Form 672: F78, F124 - F128

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Table 16: Medical Condition - Special Care, September 2014

State	Tube Feeding	Mechanically Altered Diet	Special Rehab	Assistive Eating Device
US	5.34%	32.67%	29.29%	8.57%
AK	6.64%	34.39%	15.61%	10.63%
AL	7.31%	37.24%	25.92%	8.12%
AR	4.54%	33.04%	19.65%	7.42%
AZ	5.29%	30.70%	33.16%	6.80%
CA	10.72%	40.92%	26.46%	5.79%
CO	2.05%	26.20%	29.01%	10.12%
CT	2.76%	35.17%	26.79%	9.10%
DC	10.65%	31.10%	20.17%	2.15%
DE	6.09%	33.54%	30.57%	7.54%
FL	6.61%	34.36%	34.72%	8.62%
GA	6.44%	37.53%	25.61%	7.76%
HI	9.61%	55.53%	20.20%	8.16%
IA	1.70%	25.45%	20.94%	14.49%
ID	2.99%	30.66%	35.92%	12.93%
IL	4.32%	25.89%	26.91%	5.76%
IN	3.86%	27.98%	38.06%	10.37%
KS	2.09%	26.07%	22.24%	10.82%
KY	6.31%	36.18%	30.51%	12.82%
LA	6.89%	29.28%	33.63%	2.74%
MA	2.81%	34.64%	26.17%	11.95%
MD	7.17%	31.35%	29.03%	4.48%
ME	1.29%	35.51%	25.94%	14.59%
MI	5.25%	28.40%	31.15%	12.50%
MN	2.13%	22.46%	22.65%	11.38%
MO	2.86%	25.44%	22.82%	7.56%
MS	9.11%	35.81%	32.58%	4.71%
MT	1.74%	25.34%	19.33%	8.53%
NC	5.30%	38.21%	34.07%	10.34%
ND	2.02%	24.17%	14.89%	18.19%
NE	2.82%	24.57%	25.50%	12.77%
NH	1.59%	32.02%	31.71%	12.08%
NJ	6.57%	34.29%	29.53%	4.58%
NM	3.55%	38.07%	28.18%	8.95%
NV	8.84%	28.03%	32.93%	4.94%
NY	6.43%	33.97%	25.89%	7.70%
OH	4.37%	28.85%	31.92%	10.14%
OK	4.05%	29.21%	16.47%	3.94%
OR	3.37%	31.69%	33.55%	8.54%
PA	4.12%	34.66%	35.35%	13.34%
RI	2.07%	29.75%	27.38%	5.21%
SC	6.25%	39.35%	28.70%	7.30%
SD	1.23%	25.04%	17.99%	10.75%
TN	5.72%	39.37%	30.95%	8.54%
TX	6.45%	34.40%	35.40%	4.72%
UT	4.03%	29.91%	37.00%	7.57%
VA	5.57%	33.53%	30.40%	6.63%
VT	1.79%	38.62%	29.27%	15.23%
WA	4.40%	31.75%	33.41%	11.29%
WI	2.34%	27.14%	28.73%	15.64%
WV	3.29%	38.25%	30.84%	8.62%
WY	1.02%	27.29%	21.10%	7.84%

Source: CMS Form 672: F78, F129 - F132

LTC Stats: Nursing Facility Patient Characteristics Report - Research Department - American Health Care Association

Glossary of Terms for use with CASPER data

Activities of Daily Living (ADL) are activities done during a normal day such as getting in and out of bed, dressing, bathing, eating, and using the bathroom. Patients are considered to be *independent* if they can execute an activity of daily living independent of direct care staff or with only “set up” assistance. Patients needing *assistance* can partially execute the activity of daily living but must have considerable assistance from direct care staff to successfully complete the activity. Patients who are *dependent* for an activity of daily living are not at all capable of executing the activity of daily living.

Advance Directive (Health Care) is a written health care directive prepared by patients in advance of needing to apply its contents which documents how a patient wants medical decisions to be made on their behalf in the event they become disabled and are unable to make their own health related decisions. A health care advance directive may include a Living Will and a Durable Power of Attorney for health care.

Certified Beds This measure represents the total number of certified beds in the nursing home. Some nursing homes can have a combination of Medicare, Medicaid, and/or private pay beds. Certified beds refer to those beds certified for use under the Medicare and/or Medicaid programs.

Certified Nursing Assistants (CNAs) provide care on a twenty-four hour basis. They work under the direction of a licensed nurse to assist patients with activities of daily living, i.e., eating, grooming, hygiene, dressing, transferring, and toileting. All full-time certified nursing assistants (CNAs) must have completed a competency evaluation program or nurse assistant training within 4 months of their permanent employment. They must also pursue continuing education each year.

Hospital-based - The nursing home is affiliated with a hospital.

Medicare is the federal health insurance program for: people 65 years of age or older, certain younger people with disabilities, and people with End-Stage Renal Disease (permanent kidney failure with dialysis or a transplant, sometimes called ESRD). Medicare pays for some nursing home care in specific situations and for no more than 100 days for each benefit period. A benefit period begins the day you go to a skilled nursing facility. The benefit period ends when you have not received skilled nursing care for 60 days in a row.

Medicaid is the joint federal and state program that helps with medical costs for some people with low incomes and limited resources. Medicaid programs vary from state to state, but most health care costs are covered if you qualify for both Medicare and Medicaid. Medicaid pays for long term care for people with low incomes and resources.



Multifacility - Multi-nursing home chains have two or more homes under one ownership or operation

Occupancy This measure indicates the percentage of certified beds occupied by patients at the time of the inspection. It is obtained by taking the number of patients occupying certified beds at the time of the inspection divided by the total number of certified beds in the nursing home.

Ownership - Nursing homes can be run by private for-profit corporations, non-profit corporations or government entities.

Patients in Certified Beds This number tells you how many patients in certified beds were living in the nursing home at the time of the inspection

Primary Payor is an insurance policy, plan, or program that pays first on a claim for medical care. This could be Medicare, Medicaid or other health insurance.

Registered Nurses and Licensed Practical and Vocational Nurses - Registered nurses (RNs) have between 2 and 6 years of education. Licensed practical and vocational nurses (LPNs/LVNs) generally have 1 year of training. By law, RNs must assess residents' needs. RNs and LPNs/LVNs work together to plan care, implement care and treatment, and evaluate residents' outcomes. Nurses must be licensed in the state and are on site to provide care to residents twenty-four hours per day, seven days a week.

Restraint is any physical or chemical way to stop a patient from being free to move. These restraints are used to prevent patient injury and are not used for treating medical symptoms.



1201 L Street, NW
Washington, DC, 20005
T: (202) 842-4444
Email: research@ahca.org